

2019-1


WEINSBERG

Dein Urlaub!

TECHNICAL SPECIFICATIONS

CARAVANS // CaraOne

TECHNICAL DATA




CaraOne	390 QD	400 LK	420 QD	450 FU	480 EU	480 QDK
Total length	591	591	635	661	707	710
Interior length (cm)	400	400	444	470	516	516
Total width / Interior width (cm)	220 / 204	220 / 204	220 / 204	232 / 216	232 / 216	232 / 216
Total height / Interior height (cm)	257 / 196	257 / 196	257 / 196	257 / 196	257 / 196	257 / 196
Awning dimensions (cm)	853	853	897	923	969	969
Mass of the unladen vehicle (kg) *	850	850	900	960	1.040	1.040
Mass in running order (kg) *	890	890	940	1.000	1.080	1.080
Tecnically maximum authorized laden mass (kg)*	1.100	1.100	1.100	1.200	1.350	1.350
Maximum load capacity (kg) *	210	210	160	200	270	270
Tyre size	195/70R14	195/70R14	195/70R14	195/70R14	195/70R14	195/70R14
Rim size	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14
Sleeping berths	up to 4 ¹⁾	up to 5 ³⁾	up to 4 ¹⁾	4	4	up to 7 ^{1) 3)}
Bed dimensions, front (cm)	196 x 136	137 x 187	196 x 136	197 x 137	198 x 86/213 x 86 ⁴⁾	208 x 137
Bed dimensions, centre (cm)	-	-	-	-	-	188 x 94/124 ^{1) 3)}
Bed dimensions, rear (cm)	200 x 117/95 ¹⁾	204 x 76/193 x 83 ³⁾	188 x 117/95 ¹⁾	199 x 157/133	199 x 137/127	2 x 187 x 66 ³⁾
Entrance door (cm): W x H door	60 x 172	60 x 172	60 x 172	60 x 172	60 x 172	60 x 172
Hinged windows all around (model Dometic C6) 2)	5	5	5	5	6	4
Skylights with insect protection	1	2	2	3	3	3
Mushroom-shaped fans	-	-	-	-	-	-

* Please refer to the notes and explanations on the rear
 - Not provided

- ¹⁾ Bed extension for sitting area available as an option
²⁾ 3rd bunk bed instead of bunk bed available as an option
³⁾ extendable slatted frame for single beds available as an option
⁴⁾ extendable slatted frame for single beds available as an option

TECHNICAL DATA



CaraOne	500 FDK	500 XU	550 UK	550 QDK	740 UDF
Total length	723	723	759	759	937
Interior length (cm)	532	532	568	568	746
Total width / Interior width (cm)	232 / 216	232 / 216	250 / 234	232 / 216	250 / 234
Total height / Interior height (cm)	257 / 196	257 / 196	257 / 196	257 / 196	257 / 196
Awning dimensions (cm)	985	985	1.021	1.021	1.199
Mass of the unladen vehicle (kg) *	1.090	1.090	1.190	1.160	1.530
Mass in running order (kg) *	1.130	1.130	1.230	1.200	1.570
Tecnicly maximum authorized laden mass (kg)*	1.350	1.350	1.500	1.500	1.900
Maximum load capacity (kg) *	220	220	270	300	330
Tyre size	195/70R14	195/70R14	185 R14C	185 R14C	185/65R14
Rim size	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14
Sleeping berths	up to 7 ¹⁾ 3)	4	up to 7 ¹⁾ 3)	up to 7 ¹⁾ 3)	up to 8 ¹⁾
Bed dimensions, front (cm)	197 x 137	192 x 148	216 x 137/131	208 x 137	216 x 157/147
Bed dimensions, centre (cm)	200 x 94/124 ¹⁾	-	-	188 x 94/124 ¹⁾	2 x 188 x 72; 188 x 94/124 ¹⁾
Bed dimensions, rear (cm)	2 x 187 x 72 ³⁾	199 x 137/127	197 x 130; 2x 187 x 66 ³⁾⁵⁾	2 x 188 x 66 ³⁾	197 x 156
Entrance door (cm): W x H door	60 x 172	60 x 172	60 x 172	60 x 172	60 x 172
Hinged windows all around (model Dometic C6) 2)	5	6	5	6	8
Skylights with insect protection	3	3	4	4	4
Mushroom-shaped fans	1	-	-	1	-

* Please refer to the notes and explanations on the rear
- Not provided

- 1) Bed extension for sitting area available as an option
 2) 3rd bunk bed instead of bunk bed available as an option
 3) extendable slatted frame for single beds available as an option
 4) extendable slatted frame for single beds available as an option
 5) Seating group with folding bed instead of bunk bed additional possible

STANDARD EQUIPMENT

Chassis

- ▶ AL-KO chassis with semi-trailing link axle
- ▶ hydraulic shock absorbers
- ▶ 5-point wheel mounting
- ▶ Automatic reverse
- ▶ Servo-assisted hand brake
- ▶ Winding corner steadies for stable standing

BODY

- ▶ Roof of GRP w/ reduced sensitivity of hail
- ▶ Aluminium hammer finish, on the side walls, front and rear in plain sheet metal
- ▶ One-key locking system
- ▶ Hinged double windows (one each with combination blind in the kitchen area)
- ▶ Cabin door: WEINSBERG TREND - two-piece, without window
- ▶ Foil artwork WEINSBERG
- ▶ Curtain windows in middle dark degree
- ▶ Gas bottle locker with outside flap, with metal ground (can be equipped with 2 x 23 kg bottles)
- ▶ Wall thickness: 31 mm
- ▶ Roof thickness: 31 mm
- ▶ Floor thickness: 38 mm
- ▶ 12 V awning lamp
- ▶ Third brake light

LIVING / SLEEPING

- ▶ Furniture decor Oregon Ash and Sand Beige
- ▶ Durable PVC floor
- ▶ Corner shelves at U-seating group
- ▶ Canopy with lighting above kitchen
- ▶ Upholstery selection: ALU, OCEAN, LEMON (additional charge: Active Navy)
- ▶ Curtain as room divider

POWER SUPPLY

- ▶ Electric connector to the towing vehicle, 13-pole Jäger
- ▶ Interior lighting completely in 12 V
- ▶ 230 V outside socket outlet
- ▶ Fi breaker
- ▶ 240 VA transformer
- ▶ Various socket outlets inside

GAS / WATER / HEATING / AIR CONDITIONING

- ▶ Gas heating: Truma heating S 3004 up to body length 550 (Truma S 5004 on 740 UDF) with Piezo ignition
- ▶ Gas regulator
- ▶ 15 l fresh water tank
- ▶ Water supply system with 12 V immersion pump
- ▶ Central waste water conduit, one outside drain under the floor

KITCHEN

- ▶ 3-burner cooker and sink made of stainless steel, with glass cover
- ▶ 107 l Dometic refrigerator, 12V, gas, 230 V

BATHROOM

- ▶ Dometic ceramic cassette toilet
- ▶ Corner washbasin in wooden cabinet, with mirror
- ▶ Wooden cabinet with shelves
- ▶ Shower equipment available as an option

PACKAGES CARAONE

(not for 740 UDF/UWF EDITION [ICE])

151010	Smart package 12 kg
150267	Stabiliser coupling
101712	Combination blinds for windows
450623	Fresh water tank permanent mount, 45 ltr, instead of 15 l can
551054	12 V air circulation system
150065	AL-KO heavy load supports

151020	Light package
includes:	
LED-strip instead of LED-spots above stove and sink	
LED-mounted spots above seating group	
LED-ambience lighting on open deposits	
LED-wall lighting children`s bed	

151015	Advanced package 16,3 kg
100750	Midi-Heki 70 x 50 cm
450083	Hot water supply Truma with connection for kitchen/toiletroom
100938	Flyscreen blind, full length of the door
450520	Shower extension for standard bathroom
450092	Waste water tank 25 litre, mobile

151013	CaraKid Package
(possible on: 480 QDK, 500 FDK, 550 QDK)	
includes:	
USB charger sockets 5 V (1x) children's bed area	
Cup holder (incl. cup)	
Fabric covered wall paneling dinette with colored elastics, cloth bags and nets	
Power socket 230 V additional	

OPTIONAL EQUIPMENT

Item No.		KG	CaraOne 390 OD	CaraOne 400 LK	CaraOne 420 OD	CaraOne 450 FU	CaraOne 480 EU	CaraOne 480 ODK	CaraOne 500 FDK	CaraOne 500 XU	CaraOne 550 UK	CaraOne 550 ODK	CaraOne 740 UDF	CaraOne 740 UDF [ICE]	CaraOne 740 UWF [ICE]
	VEHICLE														
	Weight increase *														
150111	1.100 up to 1.200/1.350 kg (1.350 kg chassis)	-	•	•	•	-	-	-	-	-	-	-	-	-	-
150111	1.200 up to 1.350 kg (1.350 kg chassis)	-	-	-	-	•	-	-	-	-	-	-	-	-	-
150112	1.200 up to 1.400/1.500 kg (1.500 kg chassis)	15	-	-	-	•	-	-	-	-	-	-	-	-	-
150112	1.350 up to 1.400/1.500 kg (1.500 kg chassis)	15	-	-	-	-	•	•	•	•	-	-	-	-	-
150112	1.350 up to 1.600/1.700 kg (1.700 kg chassis)	25	-	-	-	-	-	-	•	•	-	-	-	-	-
150112	1.500 up to 1.600/1.700 kg (1.700 kg chassis)	25	-	-	-	-	-	-	-	-	•	•	-	-	-
150111	1.900 up to 2.000 kg (2.000 kg chassis)	-	-	-	-	-	-	-	-	-	-	-	•	-	-
150112	1.900 up to 2.500 kg (2.500 kg chassis)	-	-	-	-	-	-	-	-	-	-	-	•	-	-
150112	2.000 up to 2.500 kg (2.500 kg chassis)	40	-	-	-	-	-	-	-	-	-	-	-	•	X
*	The order of the weight increase has to be at least 3 month before the beginning of production														
	Chassis														
150109	Alloy wheels for single-axle models	-	•	•	•	•	•	•	•	•	•	•	-	-	-
150110	Alloy wheels for tandem axle-models	-	-	-	-	-	-	-	-	-	-	-	•	•	•
150997	AL-KO anti-skid system: Trailer Control-ATC	4	•	•	•	•	•	•	•	•	•	•	•	•	•
150065	AL-KO heavy load supports	6,4	•	•	•	•	•	•	•	•	•	•	•	X	X
150840	AL-KO heavy load supports, incl. Big Foot	6,9	•	•	•	•	•	•	•	•	•	•	•	•	•
150267	Stabiliser coupling	2,5	•	•	•	•	•	•	•	•	•	•	•	X	X
100570	Drawbar covering	4	•	•	•	•	•	•	•	•	•	•	•	•	•
151110	Support wheel with integrated damper		•	•	•	•	•	•	•	•	•	•	•	•	•
150122	Spare wheel (Steel) incl. car jack	21	•	•	•	•	•	•	•	•	•	•	•	•	•
151728	Spare wheel alloy wheel		•	•	•	•	•	•	•	•	•	•	•	•	•
150027	Spare wheel holder in the gas bottle locker	1	•	•	•	•	•	•	•	•	•	•	•	•	•
150620	Breakdown kit	1	•	•	•	•	•	•	•	•	•	•	•	•	•

³⁾ 3rd bunk bed optionally available / bed dimensions: 400 LK: 2 x 204 x 77 cm; 1 x 184 x 75 cm; 500 FDK: 179 x 71 cm; 182 x 70 cm; 186 x 72 cm; 550 ODK: 180 x 65 cm; 183 x 64 cm; 188 x 65 cm

⁴⁾ Roll bed function additional possible / bed dimensions 480 EU: 207 x 213/198 cm

⁵⁾ Seating group and folding bead additional in the rear on the right side, bed dimensions below: 187 x 68, folding bed: 190 x 60

OPTIONAL EQUIPMENT

Item No.			KG	CaraOne 390 OD	CaraOne 400 LK	CaraOne 420 OD	CaraOne 450 FU	CaraOne 480 EU	CaraOne 480 ODK	CaraOne 500 FDK	CaraOne 500 XU	CaraOne 550 UK	CaraOne 550 ODK	CaraOne 740 UDF	CaraOne 740 UDF [ICE]	CaraOne 740 UWF [ICE]
Body																
Windows / Doors / Ventilation																
101850	Hinged window in the front			•	•	•	•	•	•	•	•	•	•	•	•	•
100750	Midi-Heki 70 x 50 cm	-		•	•	•	•	•	•	•	•	•	•	•	•	•
100938	Flyscreen blind, full length of the door	2		•	•	•	•	•	•	•	•	•	•	•	•	•
101666	Hinged window toiletroom incl. Cassett combi blind	4		•	•	•	•	•	•	•	•	•	•	•	X	X
101712	Combination blinds for windows	-		•	•	•	•	•	•	•	•	•	•	•	X	X
101717	Garage door beside the bunk bed (not possible in combination with 3rd bunk bed)	-		-	•	-	-	-	-	-	-	-	-	-	-	-
100526	Garage door on the left side of the rear (for bike garage)			-	-	-	-	-	-	-	-	-	•	-	-	-
100612	Service hatch lockable	1		•	•	•	•	•	•	•	•	•	•	•	•	•
102303	Service hatch suitable for baby carriage/buggy (cut out: 730 x 530 mm) - only possible with 552300			-	-	-	-	-	•	•	-	-	•	-	-	-
INTERIOR																
Living / Sleeping																
550590	3rd bunk bed 3)			-	•	-	-	-	•	•	-	•	•	-	-	-
552317	Seating group with folding bed instead of bunk bed 5)	-		-	•	-	-	-	-	-	-	•	-	-	-	-
551965	Move-out/extension for bed conversion including compensation upholstery			•	-	•	-	-	•	•	-	-	•	•	•	-
552115	Ceiling cabinets instead of tray in the rear, left or right hand side	2		-	-	-	•	•	-	-	•	-	-	-	-	-
552116	Ceiling cabinets instead of tray in the front, left or right hand side	2		-	•	•	-	•	•	-	•	•	•	•	X	X
552413	Seating Group with ceiling cupboard instead of bunk bed in the rear	2		-	•	-	-	-	-	-	-	-	-	-	-	-
551408	Extendable slatted frame for single beds 4)			-	-	-	-	•	-	-	-	-	-	-	-	-
552414	Transversal bed instead of seating group in the front	4		-	•	-	-	-	-	-	-	-	-	-	-	-
552299	Fall-protection - depending on layout for lateral or F bed			-	-	-	-	-	•	•	-	-	•	-	-	-
552300	Elevated bed (baby changing table option)/window child lock			-	-	-	-	-	•	•	-	-	•	-	-	-
552294	Wall and ceiling coverage of bed area (with child-friendly motifs)			-	-	-	-	-	•	•	-	-	•	-	-	-
552683	Luggage rack (2 pcs) for bunk beds			-	•	-	-	-	•	•	-	•	•	•	•	-
552319	Cloth bag (not with "hinged window in the front (101850) available)			•	•	•	•	•	•	•	•	•	•	•	•	•

OPTIONAL EQUIPMENT

Item No.		KG	CaraOne 390 OD	CaraOne 400 LK	CaraOne 420 OD	CaraOne 450 FU	CaraOne 480 EU	CaraOne 480 ODK	CaraOne 500 FDK	CaraOne 500 XU	CaraOne 550 UK	CaraOne 550 ODK	CaraOne 740 UDF	CaraOne 740 UDF [ICE]	CaraOne 740 UWF [ICE]
Upholstery / Textiles															
552188	Upholstery "Active Navy"		•	•	•	•	•	•	•	•	•	•	•	-	-
550660	COZY HOME package includes: 2 decorative cushions, 2 sleeping pillows, 2 blankets, 1 table runner														
	EARTH		•	•	•	•	•	•	•	•	•	•	•	•	•
	STONE		•	•	•	•	•	•	•	•	•	•	•	•	•
	AVOCADO		•	•	•	•	•	•	•	•	•	•	•	•	•
	AQUA		•	•	•	•	•	•	•	•	•	•	•	•	•
	MAGNOLIA		•	•	•	•	•	•	•	•	•	•	•	•	•
	PEACH		•	•	•	•	•	•	•	•	•	•	•	•	•
Power supply															
250376	12 V mobile system comprising: Gel battery, automatic charger, master switch and level indicator for fresh water	29	•	•	•	•	•	•	•	•	•	•	•	•	•
Gas / Water / Heating / Air conditioning															
450092	Waste water tank 25 litre, mobile, in gas box	3,3	•	•	•	•	•	•	•	•	•	•	•	•	•
450098	ALDE hot water heating	-	-	-	-	-	-	-	-	-	-	-	•	X	X
351967	ALDE hot water floor heating		-	-	-	-	-	-	-	-	-	-	•	X	X
550279	Electric floor heating, til body length 550	--	•	•	•	•	•	•	•	•	•	•	-	-	-
550920	Electric floor heating, starting from body length 580	-	-	-	-	-	-	-	-	-	-	-	•	-	-
450623	Fresh water tank permanent mount, 45 ltr.	5	•	•	•	•	•	•	•	•	•	•	•	X	X
301956	Mono Contol CS vertical (on 1 gas bottle)	1	•	•	•	•	•	•	•	•	•	•	•	-	-
301957	Duo Control CS vertical (on 2 gas bottles)	1	•	•	•	•	•	•	•	•	•	•	•	X	X
450083	Hot water supply Truma with connection for kitchen/toiletroom	5	•	•	•	•	•	•	•	•	•	•	•	-	-
550086	Truma Ultraheat - only in combination with opt. 551054 12 V air circulation system	2	•	•	•	•	•	•	•	•	•	•	•	-	-
551054	Recirculation air system (12V)	4	•	•	•	•	•	•	•	•	•	•	•	-	-
552052	Air conditioning Freshjet 2200	30	•	•	•	•	•	•	•	•	•	•	•	•	•
300518	Exterior gas socket	0,5	•	•	•	•	•	•	•	•	•	•	•	•	•

OPTIONAL EQUIPMENT

Item No.		KG	CaraOne 390 OD	CaraOne 400 LK	CaraOne 420 OD	CaraOne 450 FU	CaraOne 480 EU	CaraOne 480 ODK	CaraOne 500 FDK	CaraOne 500 XU	CaraOne 550 UK	CaraOne 550 ODK	CaraOne 740 UDF	CaraOne 740 UDF [ICE]	CaraOne 740 UWF [ICE]
Kitchen / Sanitary															
401307	Refrigerator 189 l. instead of 107 l.	18	-	-	-	-	-	•	-	-	•	•	•	X	X
400541	Foldable worktop extension on the kitchen	1	•	•	•	•	•	•	•	•	•	•	•	•	•
450520	Shower extension for standard bathroom (shower rail, shower curtain and rail) - only available in combination with Smart package + hot water supply Truma (Opt. 450083)	2	•	•	•	•	•	•	•	•	•	•	•	X	X
452301	4 additional garment hooks in washroom		•	•	•	•	•	•	•	•	•	•	•	•	•
Awnings															
500161	Awning 305 cm x 250 cm	23	•	•	-	-	-	-	-	-	-	-	-	-	-
500162	Awning 355 cm x 250 cm	26	-	-	•	•	-	-	-	-	-	-	-	-	-
500163	Awning 405cm x 250cm	30	-	-	-	-	•	•	•	•	-	-	-	-	-
501730	Awning 455cm x 250cm	33	-	-	-	-	-	-	-	-	•	•	•	•	•
Others															
102232	Bicycle rack "Thule Carava Superb", 2 bicycles, towbar (excludes option 100570)	5	•	•	•	•	•	•	•	•	•	•	•	•	•
102510	Extendable Ski box (only possible with option 100612, position front right)	-	-	-	-	-	-	-	-	-	-	-	-	•	•
951036	Registration papers	-	•	•	•	•	•	•	•	•	•	•	•	•	•
952538	Factory collection		•	•	•	•	•	•	•	•	•	•	•	•	•

IMPORTANT INFORMATION

ALL CARAVANS AND MOTORHOMES BY WEINSBERG ARE DELIVERED WITH A EUROPE-WIDE 10 YEAR LEAK TIGHTNESS GUARANTEE AND A 24 MONTHS WARRANTY. PLEASE NOTE FOR ALL WEINSBERG CARAVANS AND MOTORHOMES:

Dimensions and weight data may vary ca. +/-5% due to tolerances of the natural raw materials used. With any modifications done on the vehicle by a non-authorized dealer or garage you may put at risk your personal security and lose WEINSBERG operating licence and warranty. Therefore please leave repairs and retrofits to the authorized WEINSBERG dealers and insist on WEINSBERG original equipment. All information are recommended retail prices with delivery ex work. The prices of the optional equipment are only valid for a factory moderated installation of the regular production. Retrofittings, if technically possible, will cause additional mounting and material costs. The prices of our individual packages are fixed prices and cannot be changed because of additional options. Ordering optional equipment which substitutes specific package options will not be delivered additionally. In exceptional cases some combinations of extras and options may occur as mutually exclusive. We reserve the right to any technical modifications as to design, colour, and equipment, if technical improvement requires us to do so. The contents of this list reflect arrangements at printing, in May 2018. It is effective as from 01.06.2018 for the 2019 model year. Mistakes and printing errors are excepted. Previous lists are no longer valid. We reserve the right to change content at our discretion. The water supply system is minimum state of the art (03/2009) (Regulation 2002/72/EG).

WEINSBERG caravans come with generous permissible vehicle payload options. By means of innovative solutions such as using high performance steel chassis' and honeycomb technology on furniture, low vehicle net weights are being realised.

*) ANNOTATION CONCERNING WEIGHT DATA OF YOUR WEINSBERG CARAVANS:

The mass of the empty vehicle as referred to in the price list is the mass of the vehicle with standard equipment and without basic equipment, i.e. without „liquids“ and without optional fittings as referred to in art. 2, ciff. 3 VO (EU)

Mass in running order, see Article 2, ciff. 4 a) VO (EU) 1230/2012, unless nothing different is regulated, is defined as follows:

Mass of the vehicle with standard equipment as referred to in manufacturer specifications:

- + Steel liquid gas bottles (11 kg) filled to 100% (i. e. 23 kg total mass)
- + Fresh water tank (filled to 100%)
- + Toilet flush tank (100 % full)
- + Fresh water boiler filled to 100%
- = Mass in ready-to-start mode

The “permissible total mass“ see Article 2, ciff. 7 VO (EU) 1230/2012 is defined as follows:

The mentioned vehicle's maximum mass from the manufacturer in loaded state (incl. Optional equipment/extras/packages and gas, water, luggage and load, etc.)

For you as WEINSBERG caravan user:

The maximum permissible payload as referred to in the WEINSBERG catalogue is defined as:

Technically authorized total mass - mass in running order = maximum permissible payload

Example:

(Technically authorized total mass) 1.400 kg
- (Mass in running order) 1.090 kg
= (Maximum permissible payload) 310 kg

Please note that maximum permissible payload as referred to in the catalogues, for example if the mass of the additional fitting is reduced.

Please note that your WEINSBERG caravan still must have a minimum payload capacity (= minimum payload) after deduction of optional equipment's mass from the maximum permissible payload, which may not be below the minimum payload (cf. attachment I, part D, para. 2.3.4.1 VO (EU) 1230/2012):

(Maximum number of berths + total length (in m) of the vehicle body) x 10 = Minimum permissible payload (kg)

Example:

[(Maximum number of berths) 4 + (total length (in m) of vehicle body) 5] x 10 = 90 kg
The mass of the vehicle with standard equipment according to manufacturer specifications is determined through weighing of the vehicle with standard fitting.

As a user of a caravan, you are required not to exceed the values of the permissible total mass in driving mode, and respective maximum permissible axle load and nose weight limits. Furthermore, you are obliged to adhere to all other requirements for a safe usage of your caravan.

The details regarding delivery scope, dimensions and weight as well as in terms of appearance are in line with the understanding at the time of printing (05/2018). We reserve the right to make changes to the equipment, technical details, the series scope and the prices. Upon conclusion of the contract, technical changes within the scope of the construction are retained insofar as they serve the technical advancement and are acceptable to the customer. Subtle deviations in colour tone and material properties are reserved - even after conclusion of the contract. This applies insofar as these are unavoidable due to the material itself and are acceptable to the customer.